




# LOCAL NOTICE TO MARINERS

U.S. Department of Homeland Security      United States Coast Guard



## WEEKLY EDITION – JANUARY 2004

~Navigation Information Service (NIS)~  
Watchstander, 24 hours a day at (703) 313-5900  
~Navcen Internet Address~  
[www.navcen.uscg.gov](http://www.navcen.uscg.gov)  
~Local Notice to Mariners~  
[www.navcen.uscg.gov/lnm](http://www.navcen.uscg.gov/lnm)

Issued by: Commander (oan)  
Seventeenth Coast Guard District  
PO Box 25517  
Juneau, AK 99802-5517

Telephone: (907) 463-2269 (0800-1600)  
After Hours: (907) 463-2004 (1600-0800)  
Facsimile: (907) 463-2273  
E-mail: [lnm@cgalaska.uscg.mil](mailto:lnm@cgalaska.uscg.mil)

Questions, comments or additional information on this Local Notice to Mariners or the Local Notice to Mariners mailing list (additions, deletions, corrections) should be sent to the address above or by E-mail to: [lnm@cgalaska.uscg.mil](mailto:lnm@cgalaska.uscg.mil) For faster service, you can get the U.S. Coast Guard 17th District's Local Notice to Mariners via the Internet directly from the U.S. Coast Guard Navigation Center web site at [www.nis-mirror.com/default.html](http://www.nis-mirror.com/default.html) or to get on our electronic mailing list and receive a *Microsoft Word* copy of the Local Notice to Mariners, send requests to the standard mail address above or by E-mail.

**REFERENCES:** Light List, Vol. VI, Pacific Coast and Pacific Islands, 2003 Edition (COMDTPUB P16502.6).  
U.S. Coast Pilot 8, Pacific Coast Alaska: Dixon Entrance to Cape Spencer, 25th Edition.  
U.S. Coast Pilot 9, Pacific and Arctic Coasts Alaska: Cape Spencer to Beaufort Sea, 21st Edition.

### BROADCAST NOTICE TO MARINERS

Navigation information previously promulgated by Broadcast Notice to Mariners 019/03 through 024/04 and still in effect is included in this notice.

### USE OF THE LOCAL NOTICE TO MARINERS

The Weekly Supplemental editions contain new information available subsequent to the issue of the Monthly edition. To ensure having complete information concerning the waterways of the Seventeenth Coast Guard District, consult previous Monthly editions dated for the first Tuesday of each month.

---

## I SPECIAL NOTICES

The Dates of Latest Editions, Nautical Charts and Miscellaneous Maps, dated October 1, 2003, published by the National Ocean Service, is available for issue. It may be obtained free by mail from the National Aeronautical Charting Office, AVN-530, Federal Aviation Administration, 6303 Ivy Lane, Suite 400, Greenbelt MD, 20770-1479, by telephone at 1-800-638-8972 or from your local authorized nautical chart sales agent. This is a quarterly publication listing the most recent editions of nautical charts, miscellaneous maps and publications relating to navigation, weather, etc. with brief descriptions and up-to-date prices for most of the publications listed.

### BRIDGE-TO-BRIDGE RADIOTELEPHONE LISTENING WATCH

VHF radio equipment used to meet the U.S. Bridge-to-Bridge Radiotelephone Act requirement for maintaining a listening watch on the vessel bridge-to-bridge navigation channel 13, must be capable of a continuous, uninterrupted watch. Any radio equipment capable of disrupting the channel 13 watch by a distress call on channel 16 or a distress call on the Global Maritime Distress & Safety System digital selective calling channel 70, should either not be used or have that disruption feature disabled.

### AVAILABILITY OF A NATIONAL OCEAN SERVICE CRITICAL CHART CORRECTIONS WEB SITE

The Office of Coast Survey, National Ocean Service (NOS), NOAA, announces a new Internet service to the marine public at the following web site: <http://chartmaker.ncd.noaa.gov> This service provides advance notification of critical chart corrections identified by NOS cartographers during nautical chart updating activities. Critical chart corrections are either recently identified hazards to navigation or are information regarded by NOS as essential for safe navigation, e.g. channel conditions, bridge and cable clearances, regulatory changes. Critical chart corrections posted on this web site are forwarded to the United States Coast Guard (USCG) and the National Imagery and Mapping Agency (NIMA) for inclusion in their Local Notice To Mariners (LNM) and Notice To Mariners (NM) respectively. Additionally, updates to the United States Coast Pilot, Volumes 1-9, are posted on this web site. This web site must not be viewed as a substitute for either the USCG LNM or the NIMA NM. Aid to navigation changes and other important information published in USCG and NIMA notices are not available on this web site.

---

REPORT DEFECTS IN AIDS TO NAVIGATION TO THE NEAREST COAST GUARD UNIT

**I SPECIAL NOTICES (CONT.)****AK-PRINCE WILLIAM SOUND-COPPER RIVER DELTA-INSTRUMENT MOORING NOTICE**

Prince William Sound Science Center deployed 2 scientific research buoys. A red spar buoy was placed 2600 yards North-Northeast from Point Bentinck Light (LLNR 25483) in position 60°24.95'N 146°04.65'W. A green spar buoy was placed 3800 yards North-Northeast from Egg Island Light E (LLNR 25480). Both buoys have a 6 foot aluminum pole with an orange flag attached to them. Estimated time of removal of the buoys is May 2004.

**RADIOTELEPHONE SERVICE ON FREQUENCY 2182.0 KHZ**

The U.S. Coast Guard international distress and calling radiotelephone service on the frequency 2182.0 kHz may be operating at reduced power and sensitivity due to shoreside radio infrastructure problems. Action is underway to correct these problems. The U.S. Coast Guard is operating a medium frequency Digital Selective Calling distress and safety service on a trial operational basis only. A Global Maritime Distress and Safety System (GMDSS) Sea Area A2 will not be declared in U.S. waters until shoreside radio infrastructure problems can be corrected.

**DATES OF LATEST EDITIONS-NAUTICAL CHARTS AND MISCELLANEOUS MAPS**

The Dates of Latest Editions, Nautical Charts and Miscellaneous Maps, dated January 1, 2004, published by the National Ocean Service, is available for issue. It may be obtained free by mail from the National Aeronautical Charting Office, AVN-530, Federal Aviation Administration, 6303 Ivy Lane, Suite 400, Greenbelt MD, 20770-1479, by telephone at 1-800-638-8972 or from your local authorized nautical chart sales agent. This is a quarterly publication listing the most recent editions of nautical charts, miscellaneous maps and publications relating to navigation, weather, etc. with brief descriptions and up-to-date prices for most of the publications listed. Much of this information may also be obtained online at: <http://chartmaker.ncd.noaa.gov/mcd/dole.htm>

**II DISCREPANCIES – DISCREPANCIES CORRECTED**

**WARNING:** Mariners are cautioned that portions of destroyed structures may remain visible or may be submerged.

Abbreviations normally used in the Local Notice to Mariners are as follows:

**LNM** – Local Notice to Mariners

**TLB** – Temporary Lighted Buoy

**TDBN** – Temporary Daybeacon

**BNM** – Broadcast Notice to Mariners

**TRLB** – Temporarily Replaced by Lighted Buoy

**TRUB** – Temporarily Replaced by Unlighted Buoy

**TUB** – Temporary Unlighted Buoy

**DISCREPANCIES**

LLNR	NAME OF AID	STATUS	CHART	BNM	LNM
982	NOAA Data Lighted Buoy 46080	Adrift	530	342-03	48/03
27827	ST George Harbor Entrance Light 1	Leaning	16381	343-03	49/03

**DISCREPANCIES/PRIVATE AIDS**

LLNR	NAME OF AID	STATUS	CHART	BNM	LNM
24754	East Edna Bay Log Breakwater Lights (3)	Missing	17403	019-03	04/03
24752	Edna Bay Shoal Buoys (10)	Missing	17403	020-03	04/03

**DISCREPANCIES CORRECTED**

LLNR	NAME OF AID	STATUS	CHART	BNM	LNM
23655	Point Arden Light	Watching Properly	17315	019-04	03/04

**III TEMPORARY CHANGES – TEMPORARY CHANGES CORRECTED****TEMPORARY CHANGES**

LLNR	NAME OF AID	STATUS	CHART	BNM	LNM
26090	Port Chatham Shoal Daybeacon "PC"	Daybeacon has been temporarily replaced with a Junction Buoy	16645	159-02	19/02
22275	Refuge Cove Daybeacon 5	Temporarily replaced with a buoy	17428	371-03	52/03

**TEMPORARY CHANGES CORRECTED**

LLNR	NAME OF AID	STATUS	CHART	BNM	LNM
23155	Wrangell Narrows Light 56	Watching Properly	17375	023-04	03/04

**IV CHART CORRECTIONS**

**500** 7th Ed Jun 01 1996 Last LNM: 27/03

NAD 83

(CGD17)

03/04

WEST COAST OF NORTH AMERICA

Relocate ODAS "46061" FI (4) Y 20s

at

60°13'03.0"N 145°49'30.0"W

to

60°13'03.5"N 146°49'30.0"W

**531** 21st Ed Feb 2 2002 Last LNM: 27/03

NAD 83

(CGD17)

03/04

AK-GULF OF ALASKA STRAIT OF JUAN DE FUCA TO KODIAK ISLAND

Relocate ODAS "46061" FI (4) Y 20s

at

60°13'03.0"N 145°49'30.0"W

to

60°13'03.5"N 146°49'30.0"W

**REPORT DEFECTS IN AIDS TO NAVIGATION TO THE NEAREST COAST GUARD UNIT**

COMMANDER 17TH COAST GUARD DISTRICT  
**IV CHART CORRECTIONS (CONT.)**

NOTICE NUMBER 03

<b>16013</b> 28th Ed Apr 14 2001 Last LNM: 51/03 AK-CAPE ST. ELIAS TO SHUMAGIN ISLANDS Relocate ODAS "46061" <b>FI (4) Y</b> 20s	NAD 83	(CGD17)	03/04
	at	60°13'03.0"N 145°49'30.0"W	
	to	60°13'03.5"N 146°49'30.0"W	
<b>16363</b> 12th Ed July 01 2002 Last LNM: 32/02 AK- WEST COAST-PORT MOLLER AND HERENDEEN BAY Relocate Port Moller Lt 5	NAD 83	(CGD17)	03/04
	at	55°58'42.0"N 160°34'45.5"W	
	to	55°58'40.6"N 160°34'59.0"W	
<b>16501 7th Ed Jan 2004 NEW EDITION 16BCO16501</b> AK-ALEUTIAN ISLANDS-ISLANDS OF FOUR MOUNTAINS 1: 80,000/LORAN-C (New edition due to change of format and various general changes.) This NOAA chart is now available in both the Print-on Demand and digital raster formats. See <a href="http://www.chartmaker.ncd.noaa.gov/mcd/dole.htm">www.chartmaker.ncd.noaa.gov/mcd/dole.htm</a> for details. The corresponding traditional paper chart will be available in two to eight weeks.	NAD 83	(NOS Silver Spring, MD)	03/04
<b>16549</b> 15th Ed July 01 2003: Last LNM: AK-SOUTH COAST-ALASKA PENINSULA-COLD BAY AND APPROACHES Change Kaslokan Pt Lt 2 nom rng to 5M	NAD 83	(CGD17)	
	at	55°06'15.1"N 162°31'36.5"W	
<b>16660 29th Ed Jan 2004 NEW EDITION 16ACO16660</b> AK-SOUTH COAST - COOK INLET - NORTHERN PART 1: 194,154/LORAN-C (New edition due to numerous Notice to Mariners changes and hydrographic changes.) This NOAA chart is now available in both the Print-on Demand and digital raster formats. See <a href="http://www.chartmaker.ncd.noaa.gov/mcd/dole.htm">www.chartmaker.ncd.noaa.gov/mcd/dole.htm</a> for details. The corresponding traditional paper chart will be available in two to eight weeks.	NAD 83	(NOS Silver Spring, MD)	03/04
<b>16663 7th Ed Jan 2004 NEW EDITION 16ACO16663</b> AK- SOUTH COAST- COOK INLET – EAST FORELAND 1: 100,000/LORAN-C INSET: North Foreland 1: 25,000 (New edition due to numerous Notice to Mariner changes and hydrographic changes.) This NOAA chart is now available in both the Print-on Demand and digital raster formats. See <a href="http://www.chartmaker.ncd.noaa.gov/mcd/dole.htm">www.chartmaker.ncd.noaa.gov/mcd/dole.htm</a> for details. The corresponding traditional paper chart will be available in two to eight weeks.	NAD 83	(NOS Silver Spring, MD)	03/04
<b>16700</b> 27th Ed Mar 9 2002 Last LNM: 02/04 AK-PRINCE WILLIAM SOUND Relocate ODAS "46061" <b>FI (4) Y</b> 20s  Add ODAS "46081" <b>FI (4) Y</b> 20s Relocate ODAS "46060" <b>FI (4) Y</b> 20s	NAD 83	(CGD17)	03/04
	at	60°13'03.0"N 145°49'30.0"W	
	To	60°13'03.5"N 146°49'30.0"W	
	at	60°46'32.0"N 148°12'17.7"W	
	at	60°34'45.0"N 146°50'04.0"W	
	To	60°35'08.7"N 146°49'54.3"W	
<b>16705</b> 19th Ed Nov 03 2001 Last LNM: 02/04 AK-SOUTH COAST-PRINCE WILLIAM SOUND Add ODAS "46081" <b>FI (4) Y</b> 20s	NAD 83	(CGD17)	03/04
	at	60°46'32.0"N 148°12'17.7"W	
<b>16709</b> 22nd Ed Jan 19. 2002 Last LNM: 02/04 AK-SOUTH COAST-PRINCE WILLIAM SOUND-EASTERN ENTRANCE Relocate ODAS "46060" <b>FI (4) Y</b> 20s	NAD 83	(CGD17)	03/04
	at	60°34'45.0"N 146°50'04.0"W	
	To	60°35'08.7"N 146°49'54.3"W	
<b>17360</b> 33rd Ed May 01 2003 Last LNM: 51/03 AK-SOUTHEAST COAST-ETOLIN ISLAND TO MIDWAY ISLANDS INCLUDING SUMNER STRAIT Change Coffman Cove Ent Lt nom rng to 4M Change The Narrows Lt 4 height to 8ft Change Blake Channel Lt 2 height to 17ft Change Eastern Passage Light 7 nom rng to 4M	NAD 83	(CGD17)	03/04
	at	56°01'22.6"N 132°49'38.3"W	
	at	56°22'36.0"N 132°05'12.0"W	
	at	56°20'46.8"N 132°00'24.1"W	
	at	56°22'06.9"N 132°10'18.3"W	

REPORT DEFECTS IN AIDS TO NAVIGATION TO THE NEAREST COAST GUARD UNIT

COMMANDER 17TH COAST GUARD DISTRICT  
**IV CHART CORRECTIONS (CONT.)**

NOTICE NUMBER 03

**17370** 9th Ed Nov 28 1987 Last LNM: 12/98 NAD 83  
AK-BAY OF PILLARS - ROWAN AND WASHINGTON BAYS  
Change text of note to:

NOAA WEATHER RADIO BROADCASTS  
The NOAA Weather Radio stations listed  
below provide continuous weather broadcasts.  
The reception range is typically 20 to 40  
nautical miles from the antenna site, but can be  
as much as 100 nautical miles for stations at  
high elevations.  
Mt. Robert Barron KZZ-87 162.450 MHz  
Mt. McArthur, AK KZZ-95 162.525 MHz  
Sukkwani I, AK KZZ-89 162.425 MHz  
Cape Fanshaw, AK KZZ-88 162.425 MHz  
Zarembo I, AK KZZ-91 162.450 MHz

(NOS NW - 6938)

03/04

centered at 56°35'23.0"N 134°07'03.0"W

**17375** 20th Ed Feb 18 1995 Last LNM: 41/01 NAD 83  
AK-WRANGELL NARROWS  
Change text of note to:

NOAA WEATHER RADIO BROADCASTS  
The NOAA Weather Radio stations listed  
below provide continuous weather broadcasts.  
The reception range is typically 20 to 40  
nautical miles from the antenna site, but can be  
as much as 100 nautical miles for stations at  
high elevations.  
Mt. McArthur, AK KZZ-95 162.525 MHz  
Sukkwani I, AK KZZ-89 162.425 MHz  
Cape Fanshaw, AK KZZ-88 162.425 MHz  
Zarembo I, AK KZZ-91 162.450 MHz  
Gravina I, AK KZZ-96 162.525 MHz  
Wrangell, AK WXJ-83 162.40 MHz

(NOS NW - 6938)

03/04

centered at 56°32'28.0"N 132°55'02.0"W

**17376** 6th Ed Aug 18 1990 Last LNM: 20/99 NAD 83  
AK-TEBENKOF BAY AND PORT MALMESBURY  
Add Note:

NOAA WEATHER RADIO BROADCASTS  
The NOAA Weather Radio stations listed  
below provide continuous weather broadcasts.  
The reception range is typically 20 to 40  
nautical miles from the antenna site, but can be  
as much as 100 nautical miles for stations at  
high elevations.  
Mt. McArthur, AK KZZ-95 162.525 MHz  
Sukkwani I, AK KZZ-89 162.425 MHz  
Cape Fanshaw, AK KZZ-88 162.425 MHz  
Zarembo I, AK KZZ-91 162.450 MHz

(NOS NW - 6938)

03/04

centered at 56°17'24.0"N 134°07'28.0"W

**17377** 1st Ed Jan 9 1999 Last LNM: 06/99 NAD 83  
AK-ALASKA - FREDERICK SOUND AND LECONTE BAY  
Change text of note to:

NOAA WEATHER RADIO BROADCASTS  
The NOAA Weather Radio stations listed  
below provide continuous weather broadcasts.  
The reception range is typically 20 to 40  
nautical miles from the antenna site, but can be  
as much as 100 nautical miles for stations at  
high elevations.  
Mt. McArthur, AK KZZ-95 162.525 MHz  
Sukkwani I, AK KZZ-89 162.425 MHz  
Cape Fanshaw, AK KZZ-88 162.425 MHz  
Zarembo I, AK KZZ-91 162.450 MHz  
Gravina I, AK KZZ-96 162.525 MHz  
Wrangell, AK WXJ-83 162.40 MHz

(NOS NW - 6938)

03/04

centered at 56°42'50.0"N 132°45'59.0"W

REPORT DEFECTS IN AIDS TO NAVIGATION TO THE NEAREST COAST GUARD UNIT

COMMANDER 17TH COAST GUARD DISTRICT  
**IV CHART CORRECTIONS (CONT.)**

NOTICE NUMBER 03

**17378** 13th Ed May 5 1990 Last LNM: 02/00 NAD 83  
AK-PRINCE OF WALES ISLAND - PORT PROTECTION  
Change text of note to:

(NOS NW - 6938) 03/04  
centered at 56°18'55.0"N 133°34'48.0"W

NOAA WEATHER RADIO BROADCASTS  
The NOAA Weather Radio stations listed below provide continuous weather broadcasts. The reception range is typically 20 to 40 nautical miles from the antenna site, but can be as much as 100 nautical miles for stations at high elevations.  
Mt. McArthur, AK KZZ-95 162.525 MHz  
Sukkwani I, AK KZZ-89 162.425 MHz  
Cape Fanshaw, AK KZZ-88 162.425 MHz  
Zarembo I, AK KZZ-91 162.450 MHz  
Wrangell, AK WXJ-83 162.40 MHz

**17379** 1st Ed Jan 12 2002 Last LNM: 10/02 NAD 83  
AK-SHAKEN BAY AND STRAIT  
Change text of note to:

(NOS NW - 6938) 03/04  
centered at 56°08'12.0"N 133°30'29.0"W

NOAA WEATHER RADIO BROADCASTS  
The NOAA Weather Radio stations listed below provide continuous weather broadcasts. The reception range is typically 20 to 40 nautical miles from the antenna site, but can be as much as 100 nautical miles for stations at high elevations.  
Mt. McArthur, AK KZZ-95 162.525 MHz  
Sukkwani I, AK KZZ-89 162.425 MHz  
Cape Fanshaw, AK KZZ-88 162.425 MHz  
Zarembo I, AK KZZ-91 162.450 MHz  
Wrangell, AK WXJ-83 162.40 MHz  
Craig, AK KXI-80 162.475 MHz

**17381** 10th Ed Jan 12 2002 Last LNM: 09/02 NAD 83  
AK-RED BAY PRINCE OF WALES ISLAND  
Change text of note to:

(NOS NW - 6938) 03/04  
centered at 56°16'49.0"N 133°17'47.0"W

NOAA WEATHER RADIO BROADCASTS  
The NOAA Weather Radio stations listed below provide continuous weather broadcasts. The reception range is typically 20 to 40 nautical miles from the antenna site, but can be as much as 100 nautical miles for stations at high elevations.  
Mt. McArthur, AK KZZ-95 162.525 MHz  
Sukkwani I, AK KZZ-89 162.425 MHz  
Cape Fanshaw, AK KZZ-88 162.425 MHz  
Zarembo I, AK KZZ-91 162.450 MHz  
Wrangell, AK WXJ-83 162.40 MHz

**17382** 15th Ed Mar 01 2003 Last LNM: 13/03 NAD 83  
AK-ZAREMBO ISLAND AND APPROACHES  
Change text of note to:

(NOS NW - 6938) 03/04  
centered at 56°05'07.0"N 133°13'51.0"W

NOAA WEATHER RADIO BROADCASTS  
The NOAA Weather Radio stations listed below provide continuous weather broadcasts. The reception range is typically 20 to 40 nautical miles from the antenna site, but can be as much as 100 nautical miles for stations at high elevations.  
Mt. McArthur, AK KZZ-95 162.525 MHz  
Sukkwani I, AK KZZ-89 162.425 MHz  
Cape Fanshaw, AK KZZ-88 162.425 MHz  
Zarembo I, AK KZZ-91 162.450 MHz  
Gravina I, AK KZZ-96 162.525 MHz  
Duke I, AK KZZ-92 162.450 MHz  
Wrangell, AK WXJ-83 162.40 MHz  
Craig, AK KXI-80 162.475 MHz

Change Coffman Cove Ent Lt nom rng to 4M  
Change Shoemaker Bay Sm boat Hbr Lt 1 nom rng to 4M

at 56°01'22.6"N 132°49'38.3"W  
at 56°25'01.9"N 132°21'10.6"W

REPORT DEFECTS IN AIDS TO NAVIGATION TO THE NEAREST COAST GUARD UNIT

COMMANDER 17TH COAST GUARD DISTRICT  
**IV CHART CORRECTIONS (CONT.)**

NOTICE NUMBER 03

<b>17383</b> 1st Ed Jun 01 2002 Last LNM: 03/03	NAD 83	(NOS NW - 6938)	03/04
AK-SNOW PASSAGE			
Change text of note to:		centered at	56°18'11.0"N 132°51'24.0"W
NOAA WEATHER RADIO BROADCASTS The NOAA Weather Radio stations listed below provide continuous weather broadcasts. The reception range is typically 20 to 40 nautical miles from the antenna site, but can be as much as 100 nautical miles for stations at high elevations. Mt. McArthur, AK KZZ-95 162.525 MHz Sukkwan I, AK KZZ-89 162.425 MHz Cape Fanshaw, AK KZZ-88 162.425 MHz Zarembo I, AK KZZ-91 162.450 MHz Gravina I, AK KZZ-96 162.525 MHz Wrangell, AK WXJ-83 162.40 MHz Craig, AK KXI-80 162.475 MHz			
Add approximate landmark symbol (B 33) and text: Radio Tower Weather KZZ-91	162.450 MHz	at	56°20'43.0"N 132°51'41.0"W
<b>17384</b> 34th Ed Feb 26 2000 Last LNM: 02/04	NAD 83	(NOS NW - 6938)	03/04
AK-WRANGELL HARBOR AND APPROACHES			
Change text of note to:		centered at	56°23'15.0"N 132°30'31.0"W
NOAA WEATHER RADIO BROADCASTS The NOAA Weather Radio stations listed below provide continuous weather broadcasts. The reception range is typically 20 to 40 nautical miles from the antenna site, but can be as much as 100 nautical miles for stations at high elevations. Sukkwan I, AK KZZ-89 162.425 MHz Cape Fanshaw, AK KZZ-88 162.425 MHz Zarembo I, AK KZZ-91 162.450 MHz Gravina I, AK KZZ-96 162.525 MHz Wrangell, AK WXJ-83 162.40 MHz			
Change Shoemaker Bay Sm boat Hbr Lt 1 nom rng to 4M		at	56°25'01.9"N 132°21'10.6"W
<b>17385</b> 14th Ed Feb 01 2003 Last LNM: 09/03	NAD 83	(NOS NW - 6938)	03/04
AK-ERNEST SOUND - EASTERN PASSAGE AND ZIMOVIA STRAIT			
Change text of note to:		centered at	56°02'04.0"N 131°35'06.0"W
NOAA WEATHER RADIO BROADCASTS The NOAA Weather Radio stations listed below provide continuous weather broadcasts. The reception range is typically 20 to 40 nautical miles from the antenna site, but can be as much as 100 nautical miles for stations at high elevations. Sukkwan I, AK KZZ-89 162.425 MHz Cape Fanshaw, AK KZZ-88 162.425 MHz Zarembo I, AK KZZ-91 162.450 MHz Gravina I, AK KZZ-96 162.525 MHz Duke I, AK KZZ-92 162.450 MHz Wrangell, AK WXJ-83 162.40 MHz Craig, AK KXI-80 162.475 MHz Ketchikan, AK WXJ-26 162.55 MHz			
Change Blake Channel Lt 2 height to 17ft		at	56°20'46.8"N 132°00'24.1"W
Change The Narrows Lt 4 height to 8ft		at	56°22'36.0"N 132°05'12.0"W
Change Eastern Passage Light 7 nom rng to 4M		at	56°22'06.9"N 132°10'18.3"W
Change Shoemaker Bay Sm boat Hbr Lt 1 nom rng to 4M		at	56°25'01.9"N 132°21'10.6"W

REPORT DEFECTS IN AIDS TO NAVIGATION TO THE NEAREST COAST GUARD UNIT

COMMANDER 17TH COAST GUARD DISTRICT  
**IV CHART CORRECTIONS (CONT.)**

NOTICE NUMBER 03

<b>17386</b> 3rd Ed May 12 2001 Last LNM: 37/01 AK-SUMNER STRAIT SOUTHERN PART Add note:	NAD 83	(NOS NW - 6938)	03/04
NOAA WEATHER RADIO BROADCASTS The NOAA Weather Radio stations listed below provide continuous weather broadcasts. The reception range is typically 20 to 40 nautical miles from the antenna site, but can be as much as 100 nautical miles for stations at high elevations. Mt. McArthur, AK KZZ-95 162.525 MHz Sukkwon I, AK KZZ-89 162.425 MHz Cape Fanshaw, AK KZZ-88 162.425 MHz Zarembo I, AK KZZ-91 162.450 MHz		centered at	56°14'59.0"N 133°55'13.0"W
Add approximate landmark symbol (B 33) and text: Radio Tower Weather KZZ-95 162.525 MHz		at	56°04'09.0"N 134°11'31.0"W
<b>17387</b> 13th Ed Jan 20 2001 Last LNM: 13/01 AK-SHAKAN AND SHIPLEY BAYS AND PART OF EL CAPITAN PASSAGE Change text of note to:	NAD 83	(NOS NW - 6938)	03/04
NOAA WEATHER RADIO BROADCASTS The NOAA Weather Radio stations listed below provide continuous weather broadcasts. The reception range is typically 20 to 40 nautical miles from the antenna site, but can be as much as 100 nautical miles for stations at high elevations. Sukkwon I, AK KZZ-89 162.425 MHz Cape Fanshaw, AK KZZ-88 162.425 MHz Zarembo I, AK KZZ-91 162.450 MHz Gravina I, AK KZZ-96 162.525 MHz Mt. McArthur, AK KZZ-95 162.525 MHz Wrangell, AK WXJ-83 162.40 MHz Craig, AK KXI-80 162.475 MHz		centered at	56°04'41.0"N 133°27'35.0"W
<b>17400</b> 16th Ed Jun 2 2001 Last LNM: 04/03 AK-DIXON ENTRANCE TO CHATHAM STRIGHT Change text of note to:	NAD 83	(NOS NW - 6944)	03/04
NOAA WEATHER RADIO BROADCASTS The NOAA Weather Radio stations listed below provide continuous weather broadcasts. The reception range is typically 20 to 40 nautical miles from the antenna site, but can be as much as 100 nautical miles for stations at high elevations. Mt. McArthur, AK KZZ-95 162.525 MHz Sukkwon I, AK KZZ-89 162.425 MHz Cape Fanshaw, AK KZZ-88 162.425 MHz Zarembo I, AK KZZ-91 162.450 MHz Gravina I, AK KZZ-96 162.525 MHz Duke I, AK KZZ-92 162.450 MHz Wrangell, AK WXJ-83 162.40 MHz Craig, AK KXI-80 162.475 MHz Ketchikan, AK WXJ-26 162.55 MHz		centered at	55°56'40.0"N 132°27'19.0"W
Add approximate landmark symbol (B 33) and text : Radio Tower Weather KZZ-95 162.525 MHz		at	56°04'09.0"N 134°11'31.0"W
Add approximate landmark symbol (B 33) and text : Radio Tower Weather KZZ-89 162.425 MHz		at	55°06'36.0"N 132°46'22.0"W

REPORT DEFECTS IN AIDS TO NAVIGATION TO THE NEAREST COAST GUARD UNIT

COMMANDER 17TH COAST GUARD DISTRICT  
**IV CHART CORRECTIONS (CONT.)**

NOTICE NUMBER 03

<b>17401</b> 10th Ed Sep 04 1999 Last LNM: 42/02 AK-LAKE BAY AND APPROACHES CLARENCE STRAIT Change text of note to: NOAA WEATHER RADIO BROADCASTS The NOAA Weather Radio stations listed below provide continuous weather broadcasts. The reception range is typically 20 to 40 nautical miles from the antenna site, but can be as much as 100 nautical miles for stations at high elevations. Mt. McArthur, AK KZZ-95 162.525 MHz Sukkwai I, AK KZZ-89 162.425 MHz Cape Fanshaw, AK KZZ-88 162.425 MHz Zarembo I, AK KZZ-91 162.450 MHz Gravina I, AK KZZ-96 162.525 MHz Wrangell, AK WXJ-83 162.40 MHz Craig, AK KXI-80 162.475 MHz	NAD 83	(NOS NW - 6944)	03/04
Change Coffman Cove Ent Lt nom rng to 4M		centered at	56°01'07.0"N 132°51'35.0"W
<b>17402</b> 10th Ed Aug 2002 Last LNM: 41/02 AK-SOUTHERN ENTRANCES TO SUMNER STRAIT Change text of note to: NOAA WEATHER RADIO BROADCASTS The NOAA Weather Radio stations listed below provide continuous weather broadcasts. The reception range is typically 20 to 40 nautical miles from the antenna site, but can be as much as 100 nautical miles for stations at high elevations. Mt. McArthur, AK KZZ-95 162.525 MHz Sukkwai I, AK KZZ-89 162.425 MHz Cape Fanshaw, AK KZZ-88 162.425 MHz Zarembo I, AK KZZ-91 162.450 MHz Craig, AK KXI-80 162.475 MHz	NAD 83	(NOS NW - 6944)	03/04
		centered at	56°01'43.0"N 133°42'14.0"W
<b>17403</b> 13th Ed Oct 06 2001 Last LNM: 48/01 AK-DAVIDSON INLET AND SEA OTTER SOUND Change text of note to: NOAA WEATHER RADIO BROADCASTS The NOAA Weather Radio stations listed below provide continuous weather broadcasts. The reception range is typically 20 to 40 nautical miles from the antenna site, but can be as much as 100 nautical miles for stations at high elevations. Mt. McArthur, AK KZZ-95 162.525 MHz Sukkwai I, AK KZZ-89 162.425 MHz Cape Fanshaw, AK KZZ-88 162.425 MHz Zarembo I, AK KZZ-91 162.450 MHz Gravina I, AK KZZ-96 162.525 MHz Wrangell, AK WXJ-83 162.40 MHz Craig, AK KXI-80 162.475 MHz	NAD 83	(NOS NW - 6944)	03/04
		centered at	55°49'29.0"N 133°06'20.0"W
<b>17404</b> 12th Ed Jun 24 2000 Last LNM: 32/00 AK-SAN CHRISTOVAL CHANNEL TO CAPE LYNCH Change text of note to: NOAA WEATHER RADIO BROADCASTS The NOAA Weather Radio stations listed below provide continuous weather broadcasts. The reception range is typically 20 to 40 nautical miles from the antenna site, but can be as much as 100 nautical miles for stations at high elevations. Mt. McArthur, AK KZZ-95 162.525 MHz Sukkwai I, AK KZZ-89 162.425 MHz Cape Fanshaw, AK KZZ-88 162.425 MHz Zarembo I, AK KZZ-91 162.450 MHz Gravina I, AK KZZ-96 162.525 MHz Craig, AK KXI-80 162.475 MHz	NAD 83	(NOS NW - 6944)	03/04
		centered at	55°46'02.0"N 133°26'22.0"W

REPORT DEFECTS IN AIDS TO NAVIGATION TO THE NEAREST COAST GUARD UNIT



COMMANDER 17TH COAST GUARD DISTRICT  
**IV CHART CORRECTIONS (CONT.)**

NOTICE NUMBER 03

**17405** 14th Ed Oct 28 2000 Last LNM: 17/03 NAD 83  
AK-ULLOA CHANNEL TO SAN CRISTOVAL CHANNEL  
Change text of note to:

(NOS NW - 6944) 03/04  
centered at 55°29'53.0"N 133°06'52.0"W

NOAA WEATHER RADIO BROADCASTS  
The NOAA Weather Radio stations listed below provide continuous weather broadcasts. The reception range is typically 20 to 40 nautical miles from the antenna site, but can be as much as 100 nautical miles for stations at high elevations.  
Mt. McArthur, AK KZZ-95 162.525 MHz  
Sukkwani I, AK KZZ-89 162.425 MHz  
Cape Fanshaw, AK KZZ-88 162.425 MHz  
Zarembo I, AK KZZ-91 162.450 MHz  
Gravina I, AK KZZ-96 162.525 MHz  
Duke I, AK KZZ-92 162.450 MHz  
Craig, AK KXI-80 162.475 MHz  
Ketchikan, AK WXJ-26 162.55 MHz

**17406** 6th Ed Feb 10 1990 Last LNM: 17/03 NAD 83  
AK-BAKER NOYES AND LULU ISLANDS AND ADJACENT WATERS  
Change text of note to:

(NOS NW - 6944) 03/04  
centered at 55°30'51.0"N 133°22'05.0"W

NOAA WEATHER RADIO BROADCASTS  
The NOAA Weather Radio stations listed below provide continuous weather broadcasts. The reception range is typically 20 to 40 nautical miles from the antenna site, but can be as much as 100 nautical miles for stations at high elevations.  
Mt. McArthur, AK KZZ-95 162.525 MHz  
Sukkwani I, AK KZZ-89 162.425 MHz  
Cape Fanshaw, AK KZZ-88 162.425 MHz  
Zarembo I, AK KZZ-91 162.450 MHz  
Gravina I, AK KZZ-96 162.525 MHz  
Craig, AK KXI-80 162.475 MHz

**17407** 15th Ed Nov 01 2003 Last LNM: 49/03 NAD 83  
AK-NORTHERN PART OF TLEVAK STRAIT AND ULLOA CHANNEL  
Change text of note to:

(NOS NW - 6944) 03/04  
centered at 55°20'51.0"N 133°02'41.0"W

NOAA WEATHER RADIO BROADCASTS  
The NOAA Weather Radio stations listed below provide continuous weather broadcasts. The reception range is typically 20 to 40 nautical miles from the antenna site, but can be as much as 100 nautical miles for stations at high elevations.  
Mt. McArthur, AK KZZ-95 162.525 MHz  
Sukkwani I, AK KZZ-89 162.425 MHz  
Zarembo I, AK KZZ-91 162.450 MHz  
Gravina I, AK KZZ-96 162.525 MHz  
Duke I, AK KZZ-92 162.450 MHz  
Craig, AK KXI-80 162.475 MHz

**17408** 7th Ed Nov 18 1989 Last LNM: 10/96 NAD 83  
AK-CENTRAL DALL ISLAND AND VICINITY  
Change text of note to:

(NOS NW - 6944) 03/04  
centered at 55°06'07.0"N 132°49'51.0"W

NOAA WEATHER RADIO BROADCASTS  
The NOAA Weather Radio stations listed below provide continuous weather broadcasts. The reception range is typically 20 to 40 nautical miles from the antenna site, but can be as much as 100 nautical miles for stations at high elevations.  
Mt. McArthur, AK KZZ-95 162.525 MHz  
Sukkwani I, AK KZZ-89 162.425 MHz  
Zarembo I, AK KZZ-91 162.450 MHz  
Gravina I, AK KZZ-96 162.525 MHz  
Duke I, AK KZZ-92 162.450 MHz  
Craig, AK KXI-80 162.475 MHz

REPORT DEFECTS IN AIDS TO NAVIGATION TO THE NEAREST COAST GUARD UNIT

COMMANDER 17TH COAST GUARD DISTRICT  
**IV CHART CORRECTIONS (CONT.)**

NOTICE NUMBER 03

<b>17409</b> 10th Ed Jul 2002 Last LNM: 09/03 AK-SOUTHERN DALL ISLAND AND VICINITY Change text of note to:	NAD 83	(NOS NW - 6944)	03/04
		centered at	54°53'00.0"N 132°30'00.0"W
NOAA WEATHER RADIO BROADCASTS The NOAA Weather Radio stations listed below provide continuous weather broadcasts. The reception range is typically 20 to 40 nautical miles from the antenna site, but can be as much as 100 nautical miles for stations at high elevations. Mt. McArthur, AK KZZ-95 162.525 MHz Sukkwan I, AK KZZ-89 162.425 MHz Zarembo I, AK KZZ-91 162.450 MHz Gravina I, AK KZZ-96 162.525 MHz Duke I, AK KZZ-92 162.450 MHz Craig, AK KXI-80 162.475 MHz Ketchikan, AK WXJ-26 162.55 MHz			
<b>17420</b> 26th Ed Sep 22 2001 Last LNM: 51/03 AK-SOUTHEAST COAST AND BRITISH COLUMBIA-HECATE STRAIT TO ETOLIN ISLAND INCLUDING BEHM AND PORTLAND CANAL Change Clover Pass Ent Lt nom rng to 6M Change Thorne Bay Ent Lt 2 height to 14ft Change Tamgas Harbor Ent Lt nom rng to 6M	NAD 83	(CGD17)	03/04
		at	55°28'43.0"N 131°48'46.5"W
		at	55°40'45.5"N 132°27'28.0"W
		at	55°01'18.9"N 131°30'48.5"W
<b>17422</b> 8th Ed Oct 01 2002 Last LNM: 51/03 AK-SOUTHEAST COAST-WESTERN PART OF BEHM CANAL Change Clover Pass Ent Lt nom rng to 6M	NAD 83	(CGD17)	03/04
		at	55°28'43.0"N 131°48'46.5"W
<b>17423</b> 13th Ed Feb 14 1998 Last LNM: 47/00 AK-SOUTHEAST COAST-HARBOR CHARTS-CLARENCE STRAIT AND BEHM CANAL-TOLSTOI AND THORNE BAYS Change Thorne Bay Ent Lt 2 height to 14ft	NAD 83	(CGD17)	03/04
		at	55°40'45.5"N 132°27'28.0"W
<b>17428</b> 7th Ed Feb 25 1995 Last LNM: 10/03 AK-SOUTHEAST COAST-REVILLAGIGEDO CHANNEL-NICHOLS PASSAGE AND TONGASS NARROWS Change Thomas Basin Ent Lt 2 nom rng to 4M Change Channel Is Lt 14 nom rng to 5M	NAD 83	(CGD17)	03/04
		at	55°20'18.1"N 131°38'33.1"W
		at	55°23'41.3"N 131°45'52.8"W
<b>17430</b> 10th Ed Feb 07 1998 Last LNM: 52/02 AK-SOUTHEAST COAST-KETCHIKAN HARBOR Change Thomas Basin Ent Lt 2 nom rng to 4M	NAD 83	(CGD17)	03/04
		at	55°20'18.1"N 131°38'33.1"W
<b>17434</b> 11th Ed May 05 1995 Last LNM: 17/00 AK-REVILLAGIGEDO CHANNEL-RYUS BAY-FOGGY BAY Change Thomas Basin Ent Lt 2 nom rng to 4M Change Tamgas Harbor Ent Lt nom rng to 6M	NAD83	(CGD17)	03/04
		at	55°20'18.1"N 131°38'33.1"W
		at	55°01'18.9"N 131°30'48.5"W
<b>17435</b> 16th Ed July 31 1999 Last LNM: 48/03 AK-SOUTHEAST COAST-HARBORS IN CLARENCE STRAIT-TAMGAS HARBOR Change Tamgas Harbor Ent Lt nom rng to 6M	NAD 83	(CGD17)	03/04
		at	55°01'18.9"N 131°30'48.5"W

**V ADVANCE NOTICE OF CHANGES TO AIDS TO NAVIGATION**

NONE

**VI PROPOSED CHANGES TO AIDS TO NAVIGATION**

NONE

**VII GENERAL**

NONE

REPORT DEFECTS IN AIDS TO NAVIGATION TO THE NEAREST COAST GUARD UNIT
--

COMMANDER 17TH COAST GUARD DISTRICT  
**VIII LIGHT LIST CORRECTIONS**

NOTICE NUMBER 03

(\* Denotes the column in which a correction has been made or new information added.)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
1131	<i>NOAA Data Lighted Buoy 46061</i>	60 13 04 N 146 49 30 W *	<b>FI (4) Y 20s</b>			Yellow boat-shaped buoy.	
22010	- ENTRANCE LIGHT	55 01 19 N 131 30 49 W	<b>FI W 4s</b>	30	6 *	NR on small house on skeleton tower.	
22165	THOMAS BASIN ENTRANCE LIGHT 2	55 20 18 N 131 38 33 W	<b>FI R 2.5s</b>	28	4 *	TR on steel tower.	
22255	CHANNEL ISLAND LIGHT 14	55 23 41 N 131 45 53 W	<b>FI R 4s</b>	24	5 *	TR on skeleton tower on concrete base.	Obscured from 238° to 268°.
22305	CLOVER PASSAGE ENTRANCE LIGHT	55 28 43 N 131 48 47 W	<b>FI W 6s</b>	20	6 *	NR on skeleton tower.	Obscured from 102° to 230°.
22427	THORNE BAY ENTRANCE LIGHT 2	55 40 46 N 132 27 28 W	<b>FI R 6s</b>	14 *	4	TR on skeleton tower.	Obscured from 135° to 243°.
22469	COFFMAN COVE ENTRANCE LIGHT	56 01 23 N 132 49 38 W	<b>FI W 2.5S</b>	40	4 *	NR on tower.	
22615	- SMALLBOAT HARBOR LIGHT 1	56 25 02 N 132 21 11 W	<b>FI G 4s</b>	20	4 *	SG on pile.	
22675	- LIGHT 2	56 20 47 N 132 00 24 W	<b>FI R 4s</b>	17 *	5	TR on skeleton tower.	Higher intensity beam down channel. Obscured from 133° to 233°.
22678	- LIGHT 4	56 22 36 N 132 05 12 W	<b>FI R 2.5s</b>	8 *	4	TR on spindle.	
22685	- LIGHT 7	56 22 07 N 132 10 18 W	<b>FI G 4s</b>	24	4 *	SG on skeleton tower.	Higher intensity beam up channel.
25646	<i>NOAA Data Lighted Buoy 46060</i>	60 35 09 N 146 49 54 W *	<b>FI (4) Y 20s</b>			Yellow disc-shaped hull.	
25647	<i>NOAA Data Lighted Buoy 46081</i> *	60 46 32 N 148 12 18 W *	<b>FI (4) Y 20s</b> *			Yellow disc-shaped hull. *	
27575	- LIGHT 5	55 58 41 N 160 34 59 W *	<b>FI G 2.5s</b>	18	4	SG on steel tower.	
27205	KASLOKAN POINT LIGHT 2	55 06 15 N 162 31 37 W	<b>FI R 4s</b>	15	5 *	TR on steel square frame.	Obscured from 193° to 336°.

REPORT DEFECTS IN AIDS TO NAVIGATION TO THE NEAREST COAST GUARD UNIT

**IX ADDITIONAL ENCLOSURES**

NONE		
------	--	--

S. C. Rothchild  
Aids to Navigation Branch  
Seventeenth Coast Guard District



Operational Excellence Through Leadership, Teamwork,  
And Continuous Improvement

